



Tel: (201) 444-8000 150 Franklin Turnpike Waldwick, N.J. 07463 Fax: (201) 444-0095

Copying and/or downloading of this information for the purpose of properly utilizing Mosstype Corporation product is allowed provided that (1) the information is copied in full with no changes unless prior agreement is obtained from Mosstype Corporation product, & (2) neither the copy nor the original is resold or otherwise distributed with intention of earning profit thereon.

Safety Data Sheet

Page 1 of 6
Blue Sealedge (7630 0200 34)

Section 1	Identification
<u>Manufacturer</u> Mosstype Corporation 150 Franklin Turnpike Waldwick, NJ 07463 201-444-8000	<u>Emergency Telephone Number</u> 1-800-255-3924 (Chem-Tel) <u>Technical & MSDS Information</u> 201-444-8000 <u>Preparation Date</u> 02/13/2023 <u>Product Identification</u> 7630 0200 34
<u>Applicable Products</u> Sealedge Blue	

Section 2	Hazards Identification
GHS Classification Not a hazardous substance or mixture.	
GHS Label element Not a hazardous substance or mixture.	
Other hazards The following percentage of the mixture consists of ingredient(s) with unknown acute toxicity: 57.3953 %.	

Section 3	Composition/ Information on Ingredients
Hazardous components:	
Chemical Name	CAS-No.
Rubber, natural	9006-04-6
Ethane-1,2-diol	107-21-1
	Concentration (%)
	>= 30 - < 50
	>=1 -<5

Section 4	First Aid Measures
If inhaled:	Move to fresh air in case of accidental inhalation of vapors. Oxygen or artificial respiration if needed. Call a physician or poison control center immediately.
In case of skin contact:	Wash off immediately with soap and plenty of water while removing all contaminated clothes and shoes. If symptoms persist, call a physician.

In case of eye contact: In case of eye contact, remove contact lens and rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Keep eye wide open while rinsing. Seek medical advice.

If swallowed: Do not induce vomiting without medical advice. If conscious, drink plenty of water. Never give anything by mouth to an unconscious person.

Safety Data Sheet

Page 2 of 6 Blue Sealedge (7630 0200 34)

Most important symptoms:
and effects, both acute and
delayed. None known.

Section 5 **Fire-Fighting Measures**

Suitable extinguishing media: Foam, Carbon Dioxide (CO2). ABC powder, Water mist.

Specific hazards during fire-:
fighting Burning produces irritant fumes. Exposure to decomposition products may be a hazard to health.
Cool closed containers exposed to fire with water spray.
Do not allow run-off from firefighting to enter drains or water courses.

Specific extinguishing methods: Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Use water spray to cool unopened containers.
Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.

Special protective equipment:
for firefighters In the event of fire, wear self-contained breathing apparatus.
Use personal protective equipment.
Exposure to decomposition products may be a hazard to health.

Section 6 **Accidental Release Measures**

Personal precautions, protective:
equipment & emergency
procedures. Use personal protective equipment. Ensure adequate ventilation.
Material can create slippery conditions. Use non slip safety shoes
in areas where spills or leaks can occur.

Environmental precautions: Prevent further leakage or spillage if safe to do so.
Do not let product enter drains.
Do not allow contact with soil, surface or ground water.
Do not allow uncontrolled discharge of product into the environment.

Methods and materials for:
containment and cleaning up Contain spillage, pick up with an electrically protected vacuum cleaner or by wet-brushing and transfer to a container for disposal according to local regulations (see section 13).
Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust).
Sweep up and shovel. Pick up and transfer to properly labelled containers. Clean contaminated floors and objects thoroughly while observing environmental regulations.

Section 7Advice on protection against:
fire and explosion

Handling and Storage

The product is not flammable. No special protective measures
against fire required.**Safety Data Sheet**

Page 3 of 6

Blue Sealedge (7630 0200 34)

Advice on safe handling: Wear personal protective equipment. Handle with care. Take care to avoid waste and spillage when weighing, loading and mixing the product.

Conditions for safe storage: No smoking. Keep in properly labelled containers. Observe label precautions. Keep containers tightly closed in a dry, cool and well-ventilated place.

Material to avoid: Do not freeze. Keep away from food and drink. Keep away from tobacco products.

Section 8

Exposure Controls/ Personal Protection

Components with workplace control parameters

Components	CAS-No.	Value type (form of Exposure)	Control parameters/ Permissible concentration	Basis
Rubber, natural	9006-04-6	TWA (inhalable Fraction)	0.0001 mg/m ³ (as inhalable allergenic proteins)	ACGIH
Ethane-1,2-diol	107-21-1	C 50 ppm 125 mg/m ³	OSHA P0	

Engineering measures: Handle only in a place equipped with local exhaust (or other appropriate exhaust). Maintain air concentrations below occupational exposure standards.

Personal protective equipment

Respiratory protection: No personal respiratory protective equipment normally required. When workers are facing concentrations above the exposure limit they must use appropriate certified respirators. Use NIOSH approved respiratory protection.

Hand protection material: Impervious gloves

Eye protection: Safety glasses with side- shields. Tightly fitting safety goggles. Face shield.

Skin and body protection: Chemical resistance apron. Footwear protecting against chemicals. Skin should be washed after contact. Change working clothes after each work shift.

Protective measures: Avoid contact with skin. When using do not eat, drink or smoke. Personal protective equipment comprising: suitable protective gloves, safety goggles and protective clothing. The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

Hygiene measures: Do not smoke. Keep away from food and drink. Avoid contact with skin, eyes and clothing. Change working clothes after each work shift. Remove and wash contaminated clothing and gloves, including the inside, before re-use.

Safety Data Sheet

Page 4 of 6
Blue Sealedge (7630 0200 34)

Section 9 Physical and Chemical Properties

Appearance: liquid
Color: light blue
Odor: ammoniacal
pH: No data available
Melting point/range: No data available
Boiling point/boiling range: 212 degrees F
Flash point: No data available
Vapor pressure: No data available
Density: 1,010 kg/m³

Solubility (ies): dispersible
water solubility
Solubility in other solvents: Not applicable

Partition coefficient: n-octanol/water No data available

Explosive properties: Not applicable

Section 10 Reactivity and Stability

Reactivity: Stable
Possibility of hazardous: Stable under recommended storage conditions
reactions
Conditions to avoid: Protect from frost
Incompatible materials: Oxidizing agents. Strong acids and strong bases.
Hazardous decomposition: Carbon dioxide (CO₂), carbon monoxide (CO), oxides of nitrogen
products (NO_x), dense black smoke.

Section 11 Toxicological Information

Acute toxicity

Product:

Acute oral toxicity: Remarks: This information is not available.

Acute inhalation toxicity: Remarks: This information is not available.

Acute dermal toxicity:

Remarks: This information is not available.

Skin corrosion/irritation

Product:

Remarks: This information is not available.

Serious eye damage/eye irritation

Product:

Remarks: This information is not available.

Respiratory or skin sensitization

Product:

Remarks: This information is not available.

Safety Data Sheet

Page 5 of 6

Blue Sealedge (7630 0200 34)

Carcinogenicity

IARC

No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

OSHA

No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.

NTP

No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

Section 12

Ecological Information

Ecotoxicity

Product:

Toxicity to fish:

Remarks: No data available.

Toxicity to daphnia and other:
aquatic invertebrates

Remarks: No data available.

Toxicity to algae:

Remarks: No data available.

Persistence and degradability

No data available

Bioaccumulative potential

No data available

Mobility in soil

No data available

Other adverse effects

No data available

Section 13 **Disposal Considerations**

Disposal methods

Waste from residues: Do not dispose of waste into sewer. Dispose of in accordance with local regulations. Can be landfilled or incinerated, when in compliance with local regulations.

Contaminated packaging: Clean container with water. Empty containers should be taken to an approved waste handling site for recycling or disposal.

Section 14 **Transportation Information**

International Regulation**UNRTDG**

Not regulated as a dangerous good.

Safety Data Sheet

Page 6 of 6
Blue Sealedge (7630 0200 34)

IATA-DGR

Not regulated as a dangerous good.

IMDG-Code

Not regulated as a dangerous good.

Transport in bulk according to Annex II of Marpol 73/78 and the IBC Code

Not applicable for product as supplied.

National Regulations**49 CFR**

Not regulated as a dangerous good.

Section 15 **Regulatory Information**

SARA 302:

No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

SARA 313:

The following components are subject to reporting levels established by SARA Title III, Section 313:

Ethane-1,2-diol 107-21-1 2.2855%

California Prop 65:

This product does not contain any chemicals known to State of California to cause cancer, birth defects or any other reproductive harm.

Section 16 **Other Information**

Every reasonable effort has been made to ensure that the safety information on this sheet is accurate. But because Mosstype has no control over the conditions under which the product will be used, liability is limited exclusively to replacement or refund of the purchase price of this product. Except as stated herein, there are no expressed or implied warranties of merchantability or fitness for a particular purpose. Mosstype assumes no liability for injury or incidental or consequential damages arising out of the storage handling, or use of this product.